

ALPHABET

Version

Wall 67 cm - 800 m³/h

Collection

Mirabilia

EAN code

8034122343174

KACL.233

Alphabet - Wall 67 cm

Collection

Accessoires

EAN code

8034122700472



The photograph is purely for information
It may not correspond to the selected version.

FEATURES

Scotch brite stainless steel (AISI 304)

Glass

Perimeter suction

LED ambient light

LED lighting

Metallic grease filter, removable and washable

Charcoal filter included

Possible to duct wall mounted from rear

OPTIONAL ACCESSORIES

KACL.575#1

Extension H700 - Wall

KACL.576#1

Extension H960 - Wall

KACL.798#41F

Remote under-roof motor 950 m³/h

KACL.770#41F

Remote under-roof 1100 m³/h Brushless

KACL.786#41F

Outdoor extractor fan 1000 m³/h

KACL.796#4AF

Outdoor extractor fan 1500 m³/h

KACL.797#4AF

Remote under-roof motor 1300 m³/h

TECHNICAL FEATURES

Installation type

Wall

Dimensions

67

Finishing

Scotch brite stainless steel (AISI 304)

Glass

Motor

800 m³/h

Type of control

Electronic control

Lighting

Led 2x1,2 W - 3200 K

Ambient lighting

Ambient led

Filter

Metallic filter "Base" - 277x294 mm - 2 pz

Charcoal filter

High performance filter - included

PACKAGING: WEIGHTS AND VOLUMES

ALPHABET

Wall 67 cm - 800 m³/h

Gross weight

23 kg

Net weight

18 kg

Volume

0,31 m³

Packaging size

Length

995 mm

Height

595 mm

Depth

530 mm

KIT VETRO

Alphabet - Wall 67 cm

Gross weight

8 kg

Net weight

6 kg

Volumes

0,09 m³

Packaging size

Length

530 mm

Height

440 mm

Depth

380 mm

CONSUMPTION AND CONNECTION FEATURES

Maximum consumption

280 W

Current

220-240V

Frequency

50/60Hz

Plug type

Shuko

MOTOR TECHNICAL SHEET

Maximum capacity

590 m³/h

I.E.C. 61591

Maximum noise

64 dB(A)re1pW

I.E.C.60704-2-13

Maximum pressure (Pa)

500 Pa

Maximum power motor

203 W

ENERGY CLASS

B

ALPHABET

Version

Wall 67 cm - 800 m³/h

Collection

Mirabilia

EAN code

8034122343174

KACL.233


Alphabet - Wall 67 cm

Collection

Accessoires

EAN code

8034122700472



ALPHABET

KACL.233

Alphabet - Wall 67 cm

Version

Wall 67 cm - 800 m³/h

Collection

Accessoires

Collection

Mirabilia

EAN code

8034122700472


EAN code

8034122343174

MOTOR TECHNICAL SHEET

Speed motor	1	2	3	4
Noise dB(A) _{re1pW-I.E.C.60704-2-13}	45	50	55	64
Capacity (m ³ /h) I.E.C.61591 Tubazioni normalizzate	230	300	380	590
Maximum pressure (Pa)	390	420	460	500
Power motor (W)	134	156	180	203
Air outlet	150	150	150	150

CAPACITY / PRESSURE



ALPHABET

KACL.233

Alphabet - Wall 67 cm

Version

Wall 67 cm - 800 m³/h

Collection

Accessoires

Collection

Mirabilia


EAN code

8034122700472

EAN code

8034122343174

ENERGY LABEL



PF		
S	Falmec Spa	
M	Wall 67 cm - 800 m ³ /h	
AEC	53,9	kWh/a
ECC	B	
FDE	25,6	
FDEC	B	
LE	33,2	
LEC	A	
GFE	60,0	
GFEC	E	
Qmin	230,0	m ³ /h
Qmax	380,0	m ³ /h
Qboost	590,0	m ³ /h
SPEmin	45	dBa
SPEmax	55	dBa
SPEboost	64	dBa
PO	-	W
PS	0,60	W
PI		
F	1,1	
EEl	61,4	
Qbep	287,0	m ³ /h
Pbep	415	Pa
Qboost	590,0	m ³ /h
Wbep	129,0	W
WL	2,80	W
Emiddle	93	lx
Lwa-SPEmax	55	dBa

PF_Product fiche according to 65/2014 / S_Supplier name / M_Model identification / AEC_Annual Energy Consumption (AEC hood) / EEC_Energy Efficiency class / FDE_Fluid Dynamic Efficiency (FDE hood) / FDEC_Fluid Dynamic Efficiency class / LE_Lighting Efficiency (LE hood) / LEC_Lighting Efficiency class / GFE_Grease Filtering Efficiency / Qmin_Air flow (in m³/h) at min speed in normal use / Qmax_Air flow (in m³/h) at max speed in normal use / Qboost_Air flow (in m³/h) at intensive or boost setting (max air-flow) / SPEmin_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SSPEboost_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / P0_Power consumption in off mode (Po) / Ps_Power consumption in stand by mode (Ps) / **PI_Additional information according to 66/2014** / F_Time increase factor / EEl_Energy Efficiency Index / Qbep_Measured air flow rate at best efficiency point / Pbep_Measured air pressure at best efficiency point / Qboost_Maximum air flow / Wbep_Measured electric power input at best efficiency point / WL_Nominal power of the lighting system / Emiddle_Average illumination of the lighting system on the cooking surface / Lwa=SPEmax_Sound pressure level at the highest speed.